

## LEMON NEUTRAL DISINFECTANT (LX-0301) FRESH NEUTRAL DISINFECTANT (LX-0302)

■ CLEANER ■ DETERGENT ■ DEODORIZER ■ DISINFECTANT ■ FUNGICIDE (against pathogenic fungi)  
■ \*VIRUCIDE ■ MILDEWSTAT (on hard, nonporous, inanimate surfaces)

This product is a phosphate-free formulation designed to provide effective cleaning, deodorizing, and disinfection for hospitals, nursing homes, hotels, schools, and food processing plants, where housekeeping is of prime importance in controlling cross-contamination from treated surfaces. This product, when used as directed, is formulated to disinfect hard non-porous inanimate environmental surfaces: floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, glazed ceramic tile, plastic surfaces, vanity tops, shower stalls, bathtubs, and cabinets. For larger areas such as operating rooms and patient care facilities, this product is designed to provide both general cleaning and disinfecting. This product deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls, and other areas which are prone to odors caused by microorganisms. This product is formulated to a neutral pH and will not dull high-gloss floor finishes with repeated use.

**General Cleaning-** Apply product to soiled area with a mop, cloth, sponge, or hand-pump trigger sprayer. Product can be diluted at 2 ounces per gallon or applied at full strength. Thoroughly wet soiled surface and scrub as necessary. Rinse surface with potable water and wipe dry with a dry paper towel or lint-free cloth.

**Disinfection-** For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution for each use. To disinfect inanimate, hard, non-porous surfaces add 2 ounces of this product per gallon of water. Apply solution with a mop, cloth, sponge, or hand-pump trigger sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid.

**To Disinfect Toilet Bowls:** Remove gross filth or soils from surfaces with bowl brush. Add 2 ounces of product to the bowl water. Brush or swab the bowl completely using a scrub brush or toilet mop making sure to get under the rim. Let stand for 10 minutes and flush.

**To Disinfect Food Processing Premises:** Floors, walls, and storage areas, add 2 ounces of this product per gallon of water. For heavily soiled areas, a pre-cleaning step is required. Apply solution with a mop, cloth, sponge or hand-pump trigger sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. Before using this product, food products and packaging materials must be removed from the area or carefully protected. After use, all surfaces in the area must be thoroughly rinsed with potable water.

**Deodorization-** To deodorize, apply this product as indicated under the heading Disinfection.

**Bactericidal Activity-** At the 2 ounce per gallon dilution, this product demonstrates effective disinfectant activity against the organisms: *Pseudomonas aeruginosa* PRD-10, *Salmonella choleraesuis*, *Staphylococcus aureus*, *Staphylococcus aureus* (clinical isolate), *Bordetella bronchiseptica*, *Corynebacterium ammoniagenes*, *Enterobacter aerogenes*, *Enterobacter cloacae*, *Enterobacter cloacae* (clinical isolate), *Enterococcus faecalis*, *Enterococcus faecalis* (clinical isolate), *Escherichia coli*, *Escherichia coli* (clinical isolate), *Fusobacterium necrophorum*, *Klebsiella pneumoniae* subsp. *pneumoniae*, *Lactobacillus casei* subsp. *rhamnosus*, *Listeria monocytogenes*, *Pasteurella multocida*, *Proteus vulgaris*, *Proteus mirabilis* ATCC 9921, *Proteus mirabilis* ATCC 25933, *Salmonella choleraesuis* subsp. *choleraesuis* serotype paratyphi B, *Salmonella choleraesuis* subsp. *choleraesuis* serotype typhi, *Salmonella choleraesuis* subsp. *choleraesuis* serotype typhimurium, *Salmonella choleraesuis* subsp. *choleraesuis* serotype pullorum, *Serratia marcescens*, *Shigella sonnei*, *Shigella flexneri* Type 2b, *Shigella dysenteriae*, *Staphylococcus aureus* subsp. *aureus*, *Staphylococcus epidermidis*, *Staphylococcus epidermidis* (clinical isolate), *Streptococcus pyogenes* (Clinical - Flesh Eating Strain BIRD M3), *Streptococcus pyogenes* Group A, *Xanthomonas maltophilia* (clinical isolate), *Vancomycin resistant Enterococcus faecalis* (VRE), *Methicillin resistant Staphylococcus aureus* (MRSA), and *Vancomycin intermediate resistant Staphylococcus aureus* (VISA).

**Mildewstat-** To control mold and mildew (such as *Aspergillus niger*) and the odors they cause on pre-cleaned, hard, non-porous inanimate surfaces add 2 ounces of this product per gallon of water. Apply solution with a cloth, mop or sponge making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears.

**Fungicidal Activity-** At the 2 ounce per gallon dilution, this product is fungicidal against the pathogenic fungi, *Trichophyton mentagrophytes* (Athlete's foot fungus) and *Candida albicans*. Apply solution with a cloth, sponge or hand-pump trigger sprayer to hard, non-porous surfaces found in bathrooms, shower stalls, locker rooms, exercise facilities or other clean, hard non-porous surfaces commonly contacted by bare feet. Allow the surface to remain wet for 10 minutes, then remove excess liquid. Diluted product should be applied daily or more frequently with heavy facility use.

**\*Virucidal Activity-** This product when used on environmental, inanimate, hard, non-porous surfaces exhibits effective virucidal activity against HIV-1, HIV-2, Hepatitis B virus (HBV), Hepatitis C virus (HCV), Herpes Simplex Type 1 (causative agent of fever blisters), Herpes Simplex Type 2 (genital), Influenza A/Hong Kong, Vaccinia, Rotavirus, Pseudorabies, Bovine Rhinotracheitis, Feline Leukemia, Feline Picornavirus, and Canine Distemper. Add 2 ounces of the product per gallon of water. For heavily soiled areas, a pre-cleaning step is required. Apply solution with a cloth, mop, sponge or hand-pump trigger sprayer so as to wet all surfaces thoroughly. Allow the surface to remain wet for 10 minutes, then remove excess liquid.

**Kills HIV-1, HIV-2, HBV, and HCV on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids** in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 or Type 2 (HIV-1 or HIV-2) (associated with AIDS), Hepatitis B virus (HBV), and Hepatitis C virus (HCV).


**DANGER:** Keep out of reach of children. Refer to M.S.D.S. and product label for additional safety information.

### Typical Properties:

Specific Gravity.....	1.005
pH.....	7.0
Active quaternary ammonium chlorides.....	3.85%
Appearance.....	Clear yellow liquid / Clear blue liquid
Fragrance.....	Lemon / Spring Fresh

Manufactured by:  
ABC COMPOUNDING COMPANY, INC.  
ATLANTA, GA / DALLAS, TX

LX0301/LX0302/0605



### FEATURES

Effective Against  
HIV-1, Hepatitis B,  
Hepatitis C, MRSA, VRE

Lemon / Spring Fresh  
Scent

Dilute Up To 1:64

Neutral pH  
Hospital Grade

### BENEFITS

Disinfects, Cleans  
& Deodorizes In One Step

### WHERE TO SELL

Hospitals / Healthcare

Lodging Facilities

Daycare Centers

School Systems

Animal Clinics, Kennels  
& Pet Shops

Office Buildings

Shopping Centers / Malls

Airports

[www.lynxclean.com](http://www.lynxclean.com)

Lynx is a Registered Trademark of  
ABC Compounding Co., Inc.